



**NRCB**

Natural Resources  
Conservation Board

#303, 4920 – 51 Street  
Red Deer, Alberta T4N 6K8  
403-340-5241  
[www.nrcb.ca](http://www.nrcb.ca)

Regarding Approval RA24028  
SE-36-44-23 W4

### **Water Well Monitoring Requirements**

The purpose of this statement is to outline the water well monitoring requirements in Approval RA24028. Operating Condition 4 of Approval RA24028 reads:

*“The permit holder shall conduct water quality tests for chlorides and nitrates (routine water testing) annually, on water well ID #40162 located within 100 meters of manure storage and collection areas at the CFO, unless otherwise directed in writing by the NRCB.”*

The NRCB has re-assessed the water well monitoring requirements, using results from an environmental risk screening conducted on August 12, 2024, for this confined feeding operation.

Based on the risk screening results, and new information submitted with Approval RA24028, the NRCB has determined that the water well monitoring requirements for this facility should be amended as follows:

#### **Monitoring Frequency**

Annually, with results submitted to the NRCB by July 31 of each year

#### **Water Well Test Parameters**

Chlorides and nitrate-nitrogen

#### **Water Wells to be used for Monitoring**

Water Well ID#40162

These monitoring requirements become effective on the date of this letter and supersede any previously issued monitoring requirements at this facility.

September 3, 2024

(Original signed)

Sarah Neff  
Approval Officer